

	Hits	Search Text	DBs
1	1	("5448718").PN.	US-PGPUB; USPAT
2	112	(hole\$1 or gap\$1) and ((compensat\$4 or giv\$5back or reimburs\$4 or recompens\$4) with header\$1) and off\$1set\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	62	11 and @ad < "20040211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	13 and bitmap\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	13 and (file\$1 with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	13 and (acl or (access adj control adj list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	2	12 and (back\$4up with (path\$1 or director\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	2	12 and back\$4up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	13 not 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	518	off\$1set\$1 and back\$4up and file\$1 and (back\$4up with (path\$1 or director\$3)) and stream\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	118	off\$1set\$1 and back\$4up and file\$1 and (back\$4up with (path\$1 or director\$3)) and ((add\$4 or includ\$4 or append\$4 or attach\$4or adjoin\$4 or includ\$4) with stream\$1 with back\$4up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	19	20 and header\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1	22 and (acl or (access adj control adj list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	3	20 and bitmap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	21 and (back\$4up and file\$1 with back\$4up with ((associat\$4 or relat\$4 or link\$5) near9 stream\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	14	(back\$4up and file\$1 with back\$4up with ((associat\$4 or relat\$4 or link\$5) near9 stream\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	12	25 and @ad < "20040211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	26 and bitmap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	26 and (back\$4up with (path\$1 or director\$3)) and ((add\$4 or includ\$4 or append\$4 or attach\$4or adjoin\$4 or includ\$4) with stream\$1 with back\$4up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
20	9	26 not 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	130	(back\$4up with (path\$1 and director\$3)) and files	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	130	30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	11	31 and bitmap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	16	(back\$1up near3 path\$1) and @ad < "20040211" and (backup with files with director\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	2	32 and offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	4	12 and (file\$1 with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	4	30 and offset and (backup with file\$1 with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	6135	(acl or (access adj control adj list\$1)) and @ad < "20040211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	4	((generat\$4 or creat\$4) with (acl or (access adj control adj list\$1)) with file\$1 with attribute\$1 with backup\$1) and @ad < "20040211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB